

## СПИСЪК НА ЗАБЕЛЯЗАНИ ЦИТАТИ

Без автоцитати на някой от съавторите.

**(В директорията няма копия от всички статии, защото достъпът до някои от тях е платен. Показват се само цитати за съответната публикация.)**

**Общ брой: 37,**

**от тях в чужбина 34, в дисертации 5, от тях две в чужбина, + 1 от публикация преди конкурса за ст.н.с.**

**S8: Gospodinov, I., Spiridonov, V., Benard, P., and Geleyn, J.-F., 2002: A refined semi-Lagrangian vertical trajectory scheme applied to a hydrostatic atmospheric model. *Quarterly Journal of the Royal Meteorological Society*, **128**, 323-336.**

В 2 работи на други автори.

White, A.A., 2003: Dynamical equivalence and the departure-point equation in semi-Lagrangian numerical models. *Quarterly Journal of the Royal Meteorological Society*, **129** (589 PART C), pp. 1317-1324.

Tolstykh, M.A., 2002: Vorticity-divergence semi-Lagrangian shallow-water model of the sphere based on compact finite differences. *Journal of Computational Physics*, **179** (1), pp. 180-200.

**S9: Gospodinov, I., Spiridonov, V., and Geleyn, J.-F., 2001: Second order accuracy of two-time-level semi-Lagrangian schemes. *Quarterly Journal of the Royal Meteorological Society*, **127**, 1017-1033.**

В 14 работи на други автори:

Bourchtein, A., Bourchtein, L., 2009: Semi-Lagrangian semi-implicit time-splitting scheme for a regional model of the atmosphere. *Journal of Computational and Applied Mathematics*, **227** (1), pp. 115-125.

Wood, N., White, A. A., Staniforth, A., 2010: Treatment of vector equations in deep-atmosphere, semi-Lagrangian models. II: Kinematic equation, *Quarterly Journal of the Royal Meteorological Society*, **136** (647 Part B), 507-516

Bourchtein, A., Bourchtein, L., 2008: Time splitting with improved accuracy for the shallow water equations. *Hyperbolic problems: Theory, Numerics, Applications*, Editors S. Benzoni-Gavage and D Serre, Springer 2008, pp.339-346.

Bourchtein, A., Bourchtein, L., 2008: A splitting scheme for large-scale atmosphere dynamics models. *Lecture Notes in Computer Science*, 5073 LNCS (PART 2), pp. 627-640.

- Yessad, K., 2008: Semi-Lagrangian computations in the cycle 32 of ARPEGE/IFS. Pp. 100, Documentation METEO-FRANCE/CNRM/GMAP.
- Bourchtein, A.a b , Bourchtein, L.a, 2007: Semi-Lagrangian semi-implicit time-splitting scheme for the shallow water equations. *International Journal for Numerical Methods in Fluids*, **54** (4), pp. 453-471.
- Bourchtein, A., 2006: Semi-Lagrangian semi-implicit locally one-dimensional scheme for hydrostatic atmospheric model. *Mathematics and Computers in Simulation*, **73** (1-4 SPEC. ISS.), pp. 38-51.
- Bourchtein, A., 2005: Semi-Lagrangian semi-implicit time splitting two time level scheme for hydrostatic atmospheric model, *Lecture Notes in Computer Science*, 3401, pp. 195-202.
- Lauritzen, P. H., 2005: *An inherently mass-conservative semi-implicit semi-Lagrangian model*. PhD thesis pp.176, Department of Geophysics, University of Copenhagen, Denmark.
- Yoshimura, H., Matsumura, T., 2005: A two-time-level vertically-conservative semi-Lagrangian semi-implicit double Fourier series AGCM. *CAS/JSC WGNE Report № 35*, 2005, 3.25-3.26.
- Durran, D.R., Reinecke, P.A., 2004: Instability in a class of explicit two-time-level semi-Lagrangian schemes, *Quarterly Journal of the Royal Meteorological Society*, **130**, pp. 365-369.
- Staniforth, A., White, A., Wood, N., 2003: Analysis of semi-Lagrangian trajectory computations. *Quarterly Journal of the Royal Meteorological Society*, **129** (591 PART B), pp. 2065-2085.
- White, A.A., 2003: Dynamical equivalence and the departure-point equation in semi-Lagrangian numerical models. *Quarterly Journal of the Royal Meteorological Society*, **129** (589 PART C), pp. 1317-1324.
- Yoshimura, H., 2002: Development of a Semi-Implicit Semi-Lagrangian Global Model using Double Fourier Series. *Next Generation Climate Models for Advanced High Performance Computing Facilities*, March 12 - 14, 2002, NCAR - 1850 Table Mesa Drive, Boulder, Colorado.

**S11: Brun, E., E. Martin, and V. Spiridonov, 1997: The coupling of a multi-layered snow model with a GCM. *Ann. Glaciol.*, **25**, 66–72.**

В 6 работи на други автори. Едно от списанията е: *Nature*

Boone, Aaron, Pierre Etchevers, 2001: An Intercomparison of Three Snow Schemes of Varying Complexity Coupled to the Same Land Surface Model: Local-Scale Evaluation at an Alpine Site. *J. Hydrometeor*, **2**, 374–394.

AS Gardner, MJ Sharp, 2010 - A review of snow and ice albedo and the development of a new physically based broadband albedo parameterization, *Journal of Geophysical Research*.

Juan Ignacio López-Moreno, S. Goyette, S. M. Vicente-Serrano and M. Beniston, 2011; Effects of climate change on the intensity and frequency of heavy snowfall events in the Pyrenees, *Climatic Change – Springer*, Volume 105, Numbers 3-4, 489-508

PH Blard, J Lavé, R Pik, P Wagnon, D Bourlès , 2007: Persistence of full glacial conditions in the central Pacific until 15,000 years ago, *Nature* **449**, 591-594

P Wagnon, M Lafaysse, Y Lejeune, L, 2009: Understanding and modeling the physical processes that govern the melting of snow cover in a tropical mountain environment in Ecuador, *JOURNAL OF GEOPHYSICAL RESEARCH*, VOL. 114,

HW Jacobi, F Domine, WR Simpson, TA, 2009: Simulation of the specific surface area of snow using a one-dimensional physical snowpack model: implementation and evaluation for subarctic snow in Alaska, *The Cryosphere Discuss.*, 3, 681–728,

**14. S14: Spiridonov, V., Deque, M., and Somot, S.: ALADIN-CLIMATE: from the origins to present date, ALADIN Newsletter 29, 2005.**

В 9 работи на други автори.

Petr Štěpánek, Petr Skalák and Aleš Farda, 2008: RCM ALADIN-CLIMATE/CZ SIMULATION OF 2020-2050 CLIMATE OVER THE CZECH REPUBLIC, Rožnovský, J., Litschmann, T. (ed): „Bioklimatologické aspekty hodnocení procesů v krajině“, Mikulov 9. – 11.9.2008, ISBN 978-80-86690-55-1.

P. Stepanek , P. Skalak , and A. Farda, 2009: RCM ALADIN-Climate/CZ simulation of 2021-2050 and 2071-2100 climate over the Central Europe region, *Geophysical Research Abstracts*, Vol. 11, EGU2009-10045, 2009 EGU General Assembly 2009.

J. Kalvova, E. Holtanova, L. Crhova, J. Miksovsky, P. Pisot, and M. Motl, 2010: Assessment of the future climate change in the Czech Republic based on ALADIN-CLIMATE/CZ and AR4 models *EMS Annual Meeting Abstracts*, Vol. 7, EMS2010-410.

L. Crhova, E. Holtanova, J. Kalvova, and J. Miksovsky, 2010: Assessment of regional climate models performance in simulating present-day climate over the area of the Czech Republic, *EMS Annual Meeting Abstracts* Vol. 7, EMS2010-407.

P. Stepanek, A. Farda, and P. Skalak, 2009: RCM ALADIN-Climate/CZ simulations of 2021-2050 and 2071-2100 climate over the Central Europe region with emphasis on analysis of extreme events, *EMS Annual Meeting Abstracts*, Vol. 6, EMS2009-187-1.

Krüzselyi, J. Bartholy, A. Horányi, I. Pieczka, R. Pongrácz, P. Szabó, G. Szépsző, and Cs. Torma, 2011: The future climate characteristics of the Carpathian Basin based on a regional climate model mini-ensemble, *Adv. Sci. Res.*, 6, 69–73.

David Woolf, Jason Mcilvenny, 2011: Data Sources for Offshore Renewable Energy, A report by Environmental Research Institute, *University of the Highlands and Islands* – North Highland College (ERI, UHI-NHC) contributing to Work Package 2 of the ORECCA project

Hamdi, R., Van de Vyver, H. and Termonia, P. (2011), New cloud and microphysics parameterisation for use in high-resolution dynamical downscaling: application for summer extreme temperature over Belgium. *International Journal of Climatology*. doi: 10.1002/joc.2409

Сн. Балабанова, Оператижно хидроложко моделиране на речния отток и ресурсни оценки с приложение на ГИС, 2010: Дисертация.

**S16: Farda A., Déqué M., Somot S., Horányi A., Spiridonov V., Tóth H. (2010): Model ALADIN as a Regional Climate Model for Central and Eastern Europe. Studia Geophysica et Geodaetica, 54: 313–332.**

В 3 работа на други автори.

T. Hlásny, L. Zajíčková, M. Turčáni, J. Holuša, Z. Sitková, 2011: Geographical variability of spruce bark beetle development under climate change in the Czech Republic, *JOURNAL OF FOREST SCIENCE*, 57, 2011 (6): 242–249

Erik Kjellström, Fredrik Boberg, Manuel Castro, Jens Hesselbjerg Christensen, Grigory Nikulin, Enrique Sánchez, 2010: Daily and monthly temperature and precipitation statistics as performance indicators for regional climate models, *Clim Res*, Vol. 44: 135–150

Hamdi, R., Van de Vyver, H. and Termonia, P. (2011), New cloud and microphysics parameterisation for use in high-resolution dynamical downscaling: application for summer extreme temperature over Belgium. *International Journal of Climatology*. doi: 10.1002/joc.2409

**D10: Artinyan E., Bogachev, A. and Spiridonov, V. : Usage of short-range weather forecastmodel Aladin for the modelling of the surface runoff for the Maritza, Tundja &Arda river basins in Bulgaria, Presented at the EFFS conference, Rotterdam,Netherlands, March 2003.**

В 1 работа на други автори.

Fotis S. Fotopoulos, 2011: Flood forecasting in catchments using satellite rainfall data products PhD Thesis, National Technical University of Athens

**D16: Spiridonov V, A. Braun, M. .Deque, S. Somot, 2004 High resolution climate adaptation of ERA40 data over the Bulgarian domain, Workshop on Regional Climate Modeling, Prague 2004.**

В 1 работа на други автори.

Сн. Балабанова, Оператижно хидрологко моделиране на речния отток и ресурсни оценки с приложение на ГИС, 2010: Дисертация.

ПОДПИС:

В. Спиридов